



Inspection and Technical Services
Municipal Relations
508-401 York Ave
Winnipeg, Manitoba Canada R3C 0P8
T 204-945-3373 F 204-948-2089
www.firecomm.gov.mb.ca/itsm_main

1/28/2021

Mister CEN Consulting Inc.
BOX 488
Montague, PEI C0A 1R0
CA

Dear Miller West

Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R1240
CRN: 0C1968.74
Scope: As listed in CRN registration list
Manufacturer: Aalberts Integrated Piping Systems APAC Inc.
Expiry Date: 18/Dec/30

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact gasupport@gov.mb.ca for any questions or concerns.

Inspection and Technical Services
Municipal Relations
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8
T (204) 945-3373 | F (204) 948-2089

CRN Registration

Oct. 30, 2020

Shurjoint Grooved Components are to be registered (Category C -Valves)

| Model Number | Size Range (inch) | Rated Pressure (psi) | Service Temperature | Drawings |
|---|-------------------|----------------------|--|--|
| SJ-C300 Butterfly Valve for Copper Tubing | 2, 2½, 3, 4, 5, 6 | 150 | EPDM: -4°F ~ +230°F (-20°C ~ +110°C) | AS-SJC300 1CKa 1CKb 1CKc |
| SJ-600 Ball Valve | 1½, 2, 2½, 3, 4 | 300 | -20°F ~ +230°F (-7 °C ~ +110°C) | AS-SJ600SS-a AS-SJ600SS-b 1SXa 1SXb 1SXc 1SXd 1SXe |
| SJ-400 Butterfly Valve | 3, 4 | 250 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-SJ400 1CNa 1CNb 1CNc |
| SJ-300N Butterfly Valve | 2, 2½, 3, 4 | 300 | EPDM: -4°F ~ +230°F (-20°C ~ +110°C) | AS-SJ300N 1J3a 1J3b 1J3c |
| RCV Riser Check Valve | 2½, 3, 4, 5, 6 | 200 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-RCV 1RVa 1RVb 1RVc 1RVd 1RVe 1RVf |
| | 8 | 125 | | |
| SJ-200 Low Profile Butterfly Valve | 2, 2½, 3, 4, 6 | 125 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-SJ200 1JNa 1JNb 1JNc 1JNd |

| Model Number | Size Range (inch) | Rated Pressure (psi) | Service Temperature | Drawings |
|--|--------------------|----------------------|--|--|
| SJ-300F Resilient Seated Butterfly Valve | 2½, 3, 4, 5, 6 | 200 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-SJ300F AS-SJ300F-a 1JLa 1JLb 1JLc 1JLd 1JLe 1JLf 1JLi |
| SJ-500L Ball Valve | 1½, 2, 2½, 3 | 250 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | SJ500-C-3 |
| | 4, 6 | 200 | | |
| SJ-900 Swing Check Valve | 2½, 3, 4, 5, 6 | 200 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-SJ900 1J9a 1RVb 1RVc 1RVd 1RVe 1RVf |
| | 8 | 150 | | |
| SJ-930 Horizontal Swing Check Valve | 2, 2½, 3, 4 | 200 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-SJ930 1AJa 1AJb 1AJc AS-7771 H108a AS-XH70EP H1X8 G15a 7705TB 160a S819001 |
| SJ-915 Dual Disc Check Valve | 2½, 3, 4, 6, 8 | 300 | EPDM: -20°F ~ +180°F (-29°C ~ +82°C) | AS-SJ915 AS-SJ915_b 1JKa 1JKb 1JKc 1JKd 1JKe |
| | 10, 12 | 150 | | |
| | 14, 16, 18, 20, 24 | 100 | | |